Environmental Protection Agency

[58 FR 33771, June 21, 1993, as amended at 62 FR 26949, May 16, 1997]

§ 180.468 Flumetsulam; tolerances for residues.

(a) General. Tolerances are established for residues of the herbicide flu metsulam, including its metabolites and degradates, in or on the commodities in the table in this paragraph. Compliance with the tolerance levels specified in this paragraph is to be determined by measuring only flumetsu lam, N-(2,6-difluorophenyl)-5-methyl-(1,2,4)-triazolo-(1,5a)-pyrimidine-2-sulfonamide, in or on the commodity.

Commodity	Parts per million
Bean, dry, seed Corn, field, forage Corn, field, grain Corn, field, stover Soybean, seed	0.05 0.05 0.05 0.05 0.05

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[76 FR 23497, Apr. 27, 2011]

§ 180.469 Dichlormid; tolerances for residues.

(a) General. Tolerances are established for residues of dichlormid, including its metabolites and degradates, when used as an inert ingredient (herbicide safener) in pesticide formulations, in or on the commodities in the following table. Compliance with the tolerances is to be determined by measuring only dichlormid (2,2-dichloro-N,N-di-2-propenylacetamide).

Commodity	Parts per million
Corn, field, forage	0.05
Corn, field, grain	0.05
Corn, field, stover	0.05
Corn, pop, grain	0.05
Corn, pop, stover	0.05
Corn, sweet, forage	0.05
Corn, sweet, kernel plus cob with husks re-	
moved	0.05
Corn, sweet, stover	0.05

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[65 FR 16149, Mar. 27, 2000, as amended at 67 FR 51105, Aug. 7, 2002; 69 FR 58290, Sept. 30, 2004; 70 FR 76699, Dec. 28, 2005; 74 FR 37623, July 29, 2009; 76 FR 16310, Mar. 23, 2011]

§ 180.470 Acetochlor; tolerances for residues.

(a) General. Tolerances are established for residues of acetochlor, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only acetochlor, 2chloro-2'-methyl-6-ethyl-N-ethoxymeth ylacetanilide, and its metabolites containing the ethyl methyl aniline (EMA) moiety and the hydroxyethyl methyl aniline (HEMA) moiety. Both parent and the named metabolites shall be determined as ethyl methyl aniline (EMA) and hydroxyethyl methyl aniline (HEMA), and calculated as the stoichiometric equivalents acetochlor, in or on the following commodities:

Commodity	Parts per million
Corn, field, forage Corn, field, grain Corn, field, stover Corn, pop, grain Corn, pop, grain Corn, sweet, forage Corn, sweet, kernels plus cob with husks removed Corn, sweet, stover Cotton, gin byproducts Cotton, undelinted seed Sorghum, grain, forage Sorghum, grain, forage Sorghum, grain, stover Soybean, meal Soybean, seed	4.5 0.05 2.5 0.05 2.5 1.5 0.05 1.0 4.0 0.6 1.6 0.05 1.7 1.2

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. Tolerances are established for indirect or inadvertent residues of acetochlor, including its metabolites and degradates, in or on the raw agricultural commodities in the table to this paragraph when present therein as a

§ 180.471

result of application of acetochlor to the growing crops in the table to paragraph (a) of this section. Compliance with the tolerance levels specified below is to be determined by measuring only acetochlor, 2-chloro-2'-methyl-6ethyl-N-ethoxymethylacetanilide, and its metabolites containing the ethyl methyl aniline (EMA) moiety and the hydroxyethyl methyl aniline (HEMA) moiety. Both parent and the named metabolites shall be determined as ethyl methyl aniline (EMA) and hydroxyethyl methyl aniline (HEMA), and calculated as the stoichiometric equivalents of acetochlor, in or on the following commodities.

Commodity	Parts per million
Animal feed, nongrass, group 18, forage	1.3
Animal feed, nongrass, group 18, hay	3.5
Beet, sugar, root	0.05
Beet, sugar, tops	0.05
Grain, cereal, forage, fodder and straw, group 16, except corn, grain sorghum, rice and	
wheat, forage	0.5
Grain, cereal, forage, fodder and straw, group 16, except corn, grain sorghum, rice and	
wheat, hay	2.0
Grain, cereal, forage, fodder and straw, group 16, except corn, grain sorghum, rice and wheat, stover	0.1
Grain, cereal, forage, fodder and straw, group 16, except corn, grain sorghum, rice and	0.1
wheat, straw	0.3
Grain, cereal, group 15, except corn, grain sorghum, rice, and wheat, grain	0.05
Pea and bean, dried shelled, except soybean,	
subgroup 6C	0.05
Potato	0.05
Soybean, forage	0.7
Soybean, hay	1.0
Sunflower, seed	0.05
Wheat, forage	0.5
Wheat, grain	0.02
Wheat, hay	2.0
Wheat, straw	0.1

[72 FR 27468, May 16, 2007, as amended at 74 FR 29969, June 24, 2009; 74 FR 47450, Sept. 16, 2009]

§ 180.471 Furilazole; tolerances for residues.

(a) General. Tolerances are established for residues of furilazole; 3-dichloroacety1-5-(2-furanyl)-2, 2-dimeth yloxazolidine (CAS Reg. No. 121776-33-8) when used as an inert ingredient (safener) in pesticide formulations in or on the following raw agricultural commodities:

Commodity	Parts per million
Corn, field, forage	0.01
Corn, field, grain	0.01
Corn, field, stover	0.01
Corn, pop, grain	0.01
Corn, pop, stover	0.01
Sorghum, forage	0.01
Sorghum, grain	0.01
Sorghum, stover	0.01

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues.
 [Reserved]

[65 FR 8867, Feb. 23, 2000, as amended at 67 FR 15735, Apr. 3, 2002; 72 FR 57492, Oct. 10, 2007]

§ 180.472 Imidacloprid; tolerances for residues.

(a) General. Tolerances are established for residues of the insecticide imidacloprid, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of imidacloprid (1-[6-chloro-3-pyridinyl) methyl]-N-nitro-2-imidazolidinimine) and its metabolites containing the 6-chloropyridinyl moiety, calculated as the stoichiometric equivalent of imidacloprid, in or on the following commodities:

Commodity	Parts per million
Acerola	1.0
Almond, hulls	4.0
Apple	0.5
Apple, wet pomace	3.0
Artichoke, globe	2.5
Aspirated grain fractions	240
Atemoya	0.30
Avocado	1.0
Banana	0.50
Beet, sugar, molasses	0.30
Beet, sugar, roots	0.05
Beet, sugar, tops	0.50
Biriba	0.30
Blueberry	3.5
Borage, seed	0.05
Caneberry, subgroup 13-A	2.5
Canistel	1.0
Canola, seed	0.05
Cattle, fat	0.30
Cattle, meat	0.30
Cattle, meat byproducts	0.30
Cherimoya	0.30
Citrus, dried pulp	5.0
Coffee, bean, green	0.80
Cotton, gin byproducts	4.0
Cotton, meal	8.0
Cotton, undelinted seed	6.0